

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐					
OTHER : ☐									

Work Order ID 144550

April 20, 2016 3:46:15 PM

144550

Page 2

Item ID: D3783-043

Accept

N900040100Setup Start ***NS1***

Revision ID:

Item Name: Longitudinal Brace Assembly

Stop ***NS2***

Start Date: 4/20/2016 Start Qty: 2.00

2

Cust Item ID:

Required Date: 4/21/2016 Req'd Qty: 2.00

2

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run HoursTool ID Tool # Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

130

Identify as per dwg & Stock Location: St23

0.00

130

Packaging

Memo

0.02

Packaging

2 045
9-59MAY 10 2016

140

QC21- Final Inspection - Work Order Release

0.00

140

QC

Memo

0.20

Quality Control

MCS MAY 11 2016
Lm 10/05/11

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
☐ OTHER : _____					

Picklist Print

April 20, 2016 3:46:19 PM

Page 1

Work Order ID: 144550

144550

Parent Item: D3783-043

D3783-043

Parent Item Name: Longitudinal Brace Assembly

Start Date: 4/20/2016

Required Date: 4/21/2016

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP Rev:A 08-05-19 new issue DD verified by:ec
IPP Rev:B 08-06-17 rev.a as per dwg DD verified by:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
AN5-13A		Purchased		No		110	Each	44.0000	1	2			
AN5-13A									**				

BOLT

Location	Loc Qty	Loc Code
CA	2	
m129682	2	
GA	8	
<u>122880</u>	8	
ST338	34	
m132803	14	
m134497	20	

D3765-1

Manufactured No

110 Each 24.0000 1 2

D3765-1

Clevis

Location	Loc Qty	Loc Code
ST251	24	
<u>142497</u>	24	

D3769-3

Manufactured No

110 Each 0.0000 1 2

D3769-3

Tube

143112

2

Picklist Print

April 20, 2016 3:46:19 PM

Page 2

Work Order ID: 144550

144550

Parent Item: D3783-043

D3783-043

Parent Item Name: Longitudinal Brace Assembly

Start Date: 4/20/2016

Required Date: 4/21/2016

Start Qty: 2.00

Required Qty: 2.00

MS21042L5

Purchased

No

110

Each

489.0000

1

2

MS21042L5

FF

MAY 10 2016

Nut

Location

Loc Qty

Loc Code

GA

115

m127813

115

2

OVER007

100

m134509

100

ST303

274

m134055

24

m134567

250

NAS1149D0563J

Purchased

No

110

Each

1,482.000

2

4

NAS1149D0563J

FF

MAY 10 2016

Washer

Location

Loc Qty

Loc Code

GA

261

m125807

2

m133769

259

4

ST260a

1000

m134497

1000

ST263

122

m134257

122

ST269

99


m128257

99

April 20, 2016 3:46:20 PM

Shop Packet Print

Page 2




D3783-041 LATERAL BRACE ASSY

ITEM NO.	PART NUMBER	DESCRIPTION	QTY. (-041)
1	D3789-1	TUBE	1
2	D3765-1	CLEVIS	2
3	AN5-13A	BOLT	2
4	NAS1149D0568J	WASHER (AN960JD516)	4
5	MS21042L5	NUT	2

- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 0.52 lbs

20160420
 SH/44550
 RELEASED
 08-06-16

A		NEW ISSUE		HS	08.06.04
REV.	DESCRIPTION			BY	DATE
DESIGN	HS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		REV. A	
DRAWN	HS			SHEET 1 OF 3	
CHECKED				D3783	
MFG. APPR.				TITLE	
APPROVED		BRACE ASSEMBLY		SCALE	
DE APPR.				NTS	
DATE		08.06.04		COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMPILED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D3783-043 LONGITUDINAL BRACE ASSY

ITEM NO.	PART NUMBER	DESCRIPTION	QTY. (-043)
1	D3769-3	TUBE	1
2	D3765-1	CLEVIS	1
3	AN5-13A	BOLT	1
4	NAS1149D0568J	WASHER (AN960JD516)	2
5	MS21042L5	NUT	1

RELEASED
08-06-16

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.41 lbs

DESIGN	HS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	HS		
CHECKED	<i>[Signature]</i>	DRAWING NO. D3783	REV. A
MFG. APPR.			SHEET 2 OF 3
APPROVED	<i>[Signature]</i>	TITLE BRACE ASSEMBLY	SCALE NTS
DE APPR.			
DATE	08.06.04	COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

D3783-045 ANGLE BRACE ASSY

ITEM NO.	PART NUMBER	DESCRIPTION	QTY. (-045)
1	D3769-5	TUBE	1
2	D3765-1	CLEVIS	2
3	AN5-13A	BOLT	2
4	NAS1149D0568J	WASHER (AN960JD516)	4
5	MS21042L5	NUT	2

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.63 lbs

DESIGN	HS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	HS		
CHECKED	<i>[Signature]</i>	DRAWING NO. D3783	REV. A SHEET 3 OF 3
MFG. APPR.	<i>[Signature]</i>	TITLE BRACE ASSEMBLY	SCALE NTS
APPROVED	<i>[Signature]</i>	COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DE APPR.	<i>[Signature]</i>		
DATE	08.06.04		

RELEASED
08-06-14